

StanleyBlack&Decker

For those who make the world.™

BLACK+DECKER

2026

PRODUCT CATALOG

POWER TOOLS OUTDOOR LAWN & GARDEN





**BLACK+
DECKER**



CONTENTS

DRILLS	4
DRILL KITS	6
CORDLESS	8
WOOD WORKING	12
METAL WORKING	14
SPECIALTY TOOLS	15
OTHER	16
WET & DRY VACUUM CLEANERS	18
CORDLESS VACUUMS	23
STEAM MOPS	26
PRESSURE WASHERS	27
CHAINSAW	30
LAWN MOWERS	31
LAWN & GARDEN	33
BLOWERS	34

DRILLS

BD65RD - 6.5mm 400W ROTARY DRILL



Specifications

Power Input	400W
Speed	0-3000 rpm
Variable Speed	Yes
Reversible	Yes
Max Drill Capacity	Wood - 10mm
	Metal - 6mm

TB555 - 10mm 550W REVERSIBLE HAMMER DRILL



Specifications

Chuck Size	10mm
Speed	0-2900 rpm
Reversible	Yes
Standard Accessories : 1-Piece Drill, 1-Piece Chuck Key	

KR5010 - 10mm 550W SINGLE SPEED HAMMER DRILL



Specifications

Power Input	550W
Chuck Size	10mm
Speed	2800 rpm
Impact Rate	47600 bpm
Max Drill Capacity	Wood - 20mm
	Steel - 10mm
	Masonry - 10mm

DRILLS

KR5010V - 10mm 550W VARIABLE SPEED HAMMER DRILL



Specifications

Power Input	550W
Chuck Size	10mm
Speed	0-2800 rpm
Impact Rate	0-47600 bpm
Max Drill Capacity	Wood - 20mm
	Steel - 10mm
	Masonry - 10mm

KR554RE - 13mm 550W VARIABLE SPEED HAMMER DRILL



Specifications

Power Input	550W
Chuck Size	13mm
Speed	0-2800 rpm
Beats Per Minute	0-47600 bpm
Max. Torque	4.5Nm
Max. Drill Capacity	Wood- 20mm
	Steel- 13mm
	Masonry- 13mm

HD555 - 13mm 550W VARIABLE SPEED HAMMER DRILL



Specifications

Power Input	550W
Chuck Size	13mm
Speed	0-2800 rpm
Impact Rate	0-45000 bpm
Max Drill Capacity	Wood - 20mm
	Steel - 13mm
	Masonry - 13mm

Standard Accessories : Side Handle and Depth Gauge

DRILL KITS

HD555K50 - 13mm 550W HAMMER DRILL KIT 50 TOOLS



Specifications

Power Input	550W
No Load Speed	0-2800 rpm
Beats Per Minute	0-45000 bpm
Chuck Size	13mm
Max Drill Capacity	Wood - 20mm
	Steel - 13mm
	Masonry - 10mm
Reverse Action	Yes
Variable Speed	Yes
Standard Accessories:	
• 550W 13mm Hammer Drill • Chuck key • 4 x HSS Drill Bits	
• 4 x Masonry Drill Bits • 5 x 50mm Screwdriving Bits	

HD555KMPR - 13mm 550W HAMMER DRILL WITH KIT 100 ACCESSORIES



Specifications

Power Input	550W
Chuck Size	13mm
Chuck Type	Keyed
No Load Speed	0-2800 rpm
Blows Per Minute	0-45000 bpm
Max. Drill Capacity	Steel - 13mm
	Masonry - 13mm
	Wood- 20mm

Standard Accessories:

- 550W 13mm Hammer Drill • Chuck Key • 1x Adjustable Wrench
- 1x6" Plier • 1x Knife • 1x Magnetic Bit Holder • 1x Magnetic Driver
- 10x Screw Bits • 5x Drill Bits for steel (2/3/4/5/6 mm)
- 5x Drill Bits for masonry (4/5/6/8/10 mm) • 4x Drill Bits for Wood (4/5/6/8 mm)
- 30x Screws (φ3/4/5) + 30x Wall Plugs (φ5/6/8)

DRILL KITS

RT18KA - ROTARY TOOL WITH ACCESSORIES KIT BOX



Specifications

Power Input 180W

No Load Speed 0-35000 rpm

Standard Accessories:

- 1x Rotary Tool • 1x Base Clamp • 1x Hanging Frame • 1x Flexible Shaft
- 1x Collet Spanner • 3x Collets: 1/8", 3/32", 1/16" • 23x Cutting Discs
- 31x Sanding Disc • 1x Sanding Bit • 18x Sanding Pads
- 9x Polishing Discs • 1x Bronze Brush • 1x Radial Bronze Brush
- 1x Regular Brush • 1x Regular Radial Brush • 3x Diamond Bits
- 3x Multi-Purpose Bits • 2x Chucks • 1x Chuck for polishing pads
- 1x Rectifying Stone • 10x Grinding Stone • 1x Plastic Box



CORDLESS

BD40K27 - 3.6V Li-ion SCREWDRIVER WITH 27 ACCESSORIES



Specifications

Voltage	3.6V
Motor Size	380mm
Charger Input Connection	USB 2.0
Charging Time	1.5hr (BD40K2 7)
Switch	Push Type
Chuck Size	6.35mm (1/ 4")
No Load Speed*	320 rpm
Battery Capacity	1.5Ah
Intelligent Torque Adjustment	43835
Max Hard/Soft Torque	5/2.5Nm
Forward/Reverse Function	YES
Self-Locking Function	YES
Battery Capacity Warning	2 LED
LED Working Light	2 LED
Charging Indicator	5 LED
Weight	0.28kg

Standard Accessories:

- 1 pc hand tool: precision screwdriver
- Magnetic bit to avoid screw drop
- 8 pcs precision bits for glasses/clocks repair
- 2 pcs 50mm longer bit for in-depth screw use

KC4815 - 4.8V CORDLESS Ni-Cd SCREWDRIVER



Specifications

Voltage	4.8V
Battery Type	Ni-Cd
Max Torque	3.5Nm
Speed	0-200 rpm
Reversible	Yes
Weight	0.24kg

Standard Accessories:

- 1 Cordless Screwdriver • 1 Charger • 15 Bits • 1 Magnetic Bit Holder

CORDLESS

BD40K4 - 3.6V Li-ion SCREWDRIVER WITH 4 ACCESSORIES



Specifications

Voltage	3.6V
Motor Size	38mm
Charger Input Connection	USB 2.0
Charging Time	1.5hr (BD40K2 7)
Switch	Push Type
Chuck Size	6.35mm (1/4")
No Load Speed*	320 rpm
Battery Capacity	1.5Ah
Intelligent Torque Adjustment	43835
Max Hard/Soft Torque	5/2.5Nm
Forward/Reverse Function	YES
Self-Locking Function	YES
Battery Capacity Warning	2 LED
LED Working Light	2 LED
Charging Indicator	5 LED
Weight	0.28kg

Standard Accessories:

- 1 pc hand tool: precision screwdriver
- 4 pcs precision bits for glasses/clocks repair

BCRT8K35 - 8V ROTARY TOOL WITH ACCESSORIES



Specifications

Voltage	8 V Max
No Load Speed	3500-29500 rpm
No load Amps	1.5A
Bit holder	0.8, 1.6, 2.4, 3.2
Weight	0.38kg

CORDLESS

LD12SP - 12V Li-ion CORDLESS DRILL DRIVER WITH INTEGRATED BATTERY



Specifications

Voltage	12V
Chuck Size	10mm
Speed	0-900 rpm
Max. Drill	Wood - 15mm
Reversible	Yes
Weight	1.35kg

Standard Accessories:

- 1 x Charger
- 2 x Drill Bits
- 1 x Screwbit Adapter
- 10 x Screwdriver Bits
- 1 x Kit Box

KC3610 - 3.6V Ni-Cd SCREWDRIVER + 10 BIT SETS

Specifications

Battery Type	Ni-Cd
Battery Capacity	600mAh
Voltage	3.6V
Speed	200 rpm
Torque	3Nm
Pivot	No
Weight	0.26kg
Charger	Jack Plug
Output Current	300mA
Charge Time	1-3hr

Features

- Extensive range of Black+Decker set providing a wide offering across all price points
- High value sets with the most common components to suit the average DIY'er
- Exclusive Black+Decker sets distinctive packaging and design only available under the Black+Decker brand



CORDLESS

BCD003C1 - 10mm 18V CORDLESS HAMMER DRILL

Specifications



Voltage	18V
Battery Type	Lithium-Ion
Chuck Size	10mm
Speed	0-400/1400 rpm
Reversible	Yes
Max Capacity	Wood - 25mm
	Steel - 10mm
	Masonry - 10mm
Max. Torque	46Nm

Standard Accessories

- 1x18V / 1.5Ah lithium-ion slidepack battery
- 400mA charger
- Bit holder
- LED work light



WOOD WORKING

CS1500 - 1500W CIRCULAR SAW



Specifications

Power	1500W
Blade Size	185mm
Speed	5500 rpm
Cutting Depth @ 90°	62mm
Cutting Depth @ 45°	46mm
Beveling Shoe	0-45°

KA400- ¼" 220W SHEET SANDER



Specifications

Power Input	220W
Speed	15000 rpm
Excentricity	0.8mm
Orbit Diameter	1.6mm
Paper Size	114 x 114mm
Platen Size	113.5 x 109mm
Dust Extraction	Dust Bag

BES603 - 400 W VARIABLE SPEED JIGSAW



Specifications

Power	400W
Strokes	3000 /min
Tool Free Blade Clamp	Yes
Lock On Switch	Yes
Bevel Cut	0-45 °
Depth of Cut (Wood/Steel/Aluminum)	65mm / 6mm / 10mm
Stroke Length	18mm
Dust Blower	Yes
Dust Extraction	Yes

WOOD WORKING

KS700PE - 480W VARIABLE SPEED PENDULUM JIGSAW



Specifications

Power Input	480W
No load speed	0-3000 min ⁻¹
Cutting Depth	Wood - 60mm
	Steel - 5mm
	Aluminum -10mm
Bevel Cut	0-45°
Pendulum	Yes

KS900EKX - 600W VARIABLE SPEED PENDULUM JIGSAW WITH KIT



Specifications

Power Input	600W
No load speed	800-3000 min ⁻¹
Cutting Depth	Wood - 85mm
	Steel - 5mm
	Aluminum -15mm
Weight	2.36kg
Pendulum	Yes



METAL WORKING

G650 - 100mm 650W SMALL ANGLE GRINDER

Specifications



Power	650W
Disc Diameter	100mm
Voltage	220-240V ~ 50/60Hz
Rate Speed	12000/min (rpm)
Spindle Size	M10
Cable Length	2m

Features

- Powerful 650W motor
- Compact design
- Spindle Lock
- Side handle with 2 positions
- Dust seal switch with lock for continuous use

G720R - 100mm 820W SMALL ANGLE GRINDER

Specifications



Power Input	820W
Speed	11000 rpm
Spindle Size	M10
Spindle Lock	Yes
Lock ON/Off Switch	Yes
Switch Type	Slider



SPECIALTY TOOLS

KX1800 - 1800W 2 SPEED HEAT GUN



Specifications

Power Input	1800W
Voltage	220-240V
Style	Pistol
Two Heat Setting	300°-580°C
Airflow	500/650 L/Min
Cable Length	2m

KX2001K-QS - 2000W HEAT GUN WITH TEMP CTRL (KIT BOX)

NEW



Specifications

Power Input	2000W
Voltage	220-240V
Air Flow	300-500 l/min
Working Temperature	450-600°C
Easy to use	For removing paint, varnish, adhesives etc.
Heat Control knob	Regulates temperature for precise heating.

BDB530 - 530W SINGLE SPEED BLOWER



Specifications

Power	530 W
Frequency	50/60 Hz
No-load Speed	16000 /min
Air Volume	3.5 m ³ /min
Weight	1.6kg
Voltage	220-240 V

OTHER

BDC24L - 24L COOLER AND WARMER

Specifications



Volume	24L
220V or 100V (Cold/Hot Mode)	approx. 60/50W
12V (Cold/Hot Mode)	approx. 50/45W
Cooling Capacity	Approx. 15°C-18°C below ambient temperature
Warming Capacity	Approx. 50°C-60°C by set point thermostat
Insulation	Polystyrene foam with 100% CFC & HCFC free
Main Plastic Material	PP
Cable Length	1. AC power cord 1.8m with plug 2. DC power cord (3C) -2.0m



OTHER

BDC8 - 8L COOLER AND WARMER

Specifications



Volume	8L
12V (Cold /Hot Mode)	approx. 48/42W
Cooling Capacity	Approx. 15°C-18°C below ambient temperature
Warming Capacity	Approx. 50°C-60°C by set point thermostat
Insulation	Polystyrene foam with 100% CFC & HCFC free
Main Plastic Material	PP+ aluminum liner
Cable Length	AC power cord 1.8m with plug

BEW210-QS - 125mm ORBITAL SANDER

Specifications



Power Input	230 W
Voltage	220-240V
No Load Speed	0-13000 RPM (Quick material removal).
Dust Bag	Dust bag included for a cleaner workspace.
Quick -fit	Velcro sanding sheet attachment for quick and easy paper change.
Multipurpose Usage	Ideal for sanding / polishing on wood, metal, PVC and paint on flat and curved surfaces



WET & DRY VACUUM CLEANERS

WDBD10



Motor Power (W)	220-240V, 50/60 Hz 1200W
Vacuum Pressure (KPa)	≥15
Suction Power (W)	120
Noise (dB)	≤84
Dust Capacity (L)	10
Filtration	HEPA filter
Power Cable Length (m)	3.5
N.W. (KG)	3.1

10L WET & DRY VACUUM CLEANER WDBD10



With HEPA filter to capture even the smallest particles of dust, dander and other allergens
Includes a variety of nozzles and brushes for a variety of vacuuming applications
Comes with removable, washable and reusable dust bag
Wheels for ease of movement

WDBD15



Motor Power (W)	220-240V, 50/60 Hz 1400W
Vacuum Pressure (KPa)	≥16
Suction Power (W)	140
Noise (dB)	≤85
Dust Capacity (L)	15
Filtration	HEPA filter
Power Cable Length (m)	5.0
N.W. (KG)	5.1

15L WET & DRY VACUUM CLEANER WDBD15



With HEPA filter to capture even the smallest particles of dust, dander and other allergens
Includes a variety of nozzles and brushes for a variety of vacuuming applications
Comes with removable, washable and reusable dust bag
Wheels for ease of movement

WDBDS30



Motor Power (W)	220-240V, 50/60 Hz 1600W
Vacuum Pressure (KPa)	≥17
Suction Power (W)	170
Noise (dB)	≤86
Dust Capacity (L)	25
Filtration	HEPA filter
Power Cable Length (m)	5.0
N.W. (KG)	7.6

30L WET & DRY VACUUM CLEANER WDBDS30



With an impact resistant stainless steel tank for longer usage life
Washable HEPA filter is able to capture smallest of allergen



WET & DRY VACUUM CLEANERS

BDWD08 - 8L WET & DRY VACUUM CLEANER



Specifications

Power	1000W
Voltage	220-240V
Frequency	50 Hz
Airflow	>=1.6 (m³/min)
Vacuum Pressure	14-19 Kpa
Noise (LpA)	<=90
Tank Capacity	8 L
Electrical Cord Length	5.5m

WB152025 - WASHABLE DUST BAG COLLECTOR



Accessory

- This reusable, easy to install filter bag can be washed and used multiple times. It will not only collect dust and dirt, but also protect the vacuum cleaner motor from dust
- It can be used in a dry and humid environment and will not tear up like paper filter bags would when used under humid conditions
- Compatible with BLACK+DECKER Wet & Dry Vacuum Cleaners.



WET & DRY VACUUM CLEANERS

BDWDS12 - 12L WET & DRY VACUUM CLEANER

NEW



Specifications

Power (Watts)	1000 W
Capacity (Liters)	12 L
Tank Material	Stainless Steel
Vacuum Pressure (kPa)	18.5 ± 1.5
Filter	Sponge
Cable Length (Meters)	5m
Weight (kg)	5.2 kg
Item Dimension (cm)	29.4x28.5x45cm
Package Dimension (cm)	31.5x31.5x45.5cm


BDWD18 - 18L WET & DRY VACUUM CLEANER

NEW



Specifications

Power (Watts)	1200 W
Capacity (Liters)	18 L
Tank Material	Plastic
Vacuum Pressure (kPa)	16.5 ± 1.5
Filter	Catridge
Cable Length (Meters)	5m
Weight (kg)	6.8 kg
Item Dimension (cm)	37.7x34.6x45.5 cm
Package Dimension (cm)	34.5x32x46.5 cm







CORDLESS VACUUMS

WDC215WA - 7.2 V WET & DRY VACUUM CLEANER



Specifications

Power Rating	7.2V
Suction Power	15.5AW
Total Battery Energy	10.8Wh

Features

- 2 in 1 functionality means this cleaner is also perfect for picking up dust, dirt and debris
- Lightweight cordless technology provides 'grab & go' convenience

Accessories

- Brush Tool • Charging base/Wall attachment
- Crevice Tool • Squeegee Accessory

ADV1210 - 12V DC CYCLONIC AUTO VAC



Specifications

Motor Power	12W
Cord Length	5m
Dust Bowl Capacity	900ml

Features

- Extra long nozzle with wide mouth
- Ergonomic design for comfortable use
- Twin action filtration system

Accessories

Flexible hose, Crevice Tool (Long), Brush, Storage Bag
Squeegee Accessory



CORDLESS VACUUMS

PV1820LF - 18V PIVOT HANDHELD VACUUM CLEANER



Specifications

Voltage	18V
Bowl Capacity	440ml
Run Time	12mins
Suction Power	35AW
Weight	1.38kg

Features

- Patented nozzle design pivots up to 200 degree
- Folds in half for comfort charging and storage
- Washable Bowl and Filter
- Translucent bowl for easy and hygienic cleaning

WDA320B - 10.8V MPP WET & DRY HANDHELD VACUUM CLEANER



Specifications

Voltage	10.8V
Bowl Capacity	240ml
Run Time	10mins
Suction Power	15AW
Weight	0.9kg

Features

- Charging indicator light.
- Removable, Washable dirt Bowl and Filter.
- Washable Bowl and Filter
- Push-in squeegee easily picks up liquid.



CORDLESS VACUUMS

PD1200AV - 12V DUSTBUSTER FLEXI AUTO HANDHELD VACUUM CLEANER



Specifications

Voltage	12V
Bowl Capacity	560ml
Cable Length	5m
Suction Power	12.5AW
Weight	1.49kg

Features

- Unique Integrated hose which allows you to reach all areas of your car where other hand vacs cannot.
- Cyclonic action spins dirt away from the filter maintaining optimum suction power.

PV1200AV - 12V DUSTBUSTER FLEXI AUTO HANDHELD VACUUM CLEANER



Specifications

Voltage	12V
Bowl Capacity	440ml
Cable Length	5m
Suction Power	12.5AW
Weight	1.53 kg

Features

- 12V DC adapter fits into cigarette lighter socket.
- 5 meter cable allows to reach all areas of car including the boot.
- Ergonomic design for comfortable use.
- The pivoting nose has 10 settings for maximum flexibility to clean in hard to reach areas such as underneath and in between car seats.
- Cyclonic action spins dirt away from the filter maintaining optimum suction power.



STEAM MOPS

FSM1605 - 1300W STEAM MOP



Specifications

Power	1300W
-------	-------

Features

- Kills 99.9% of germs and bacteria without the need for chemicals.
- Ready to use in 30 seconds.
- Easy Glide™ Micro Fiber pad for ultimate pick up performance.
- Powerful super heated steam flow for deep and quick cleaning of hard floors.
- Lightweight and easy to move.
- Swivel Steering - 1800 pivoting mop head maneuvers around furniture and in tight spaces.
- Removable, easy to fill water tank - just add tap water.

Accessories

2 Micro fibre Pads

FSMH13E5 - 1300W 5-IN-1 STEAM MOP



Specifications

Power	1300W
Cable Length	4m
Run Time	15min

Features

- Ready to use in 30 seconds.
- Removable, fixed and easy to fill water tank - just add water, no chemicals required
- Swivel steering 180° - man oeuvres around furniture and tight spaces.
- Safe to use on all sealed floors.
- Floors will dry in seconds due to boiler efficiency.
- Comes with 5 in 1 accessory.
- 99.9% germ kill and sanitization without chemicals
- Easy stain removal in less than 10 seconds

Accessories

- 1 x Microfiber floor pad
- 1 x Adapter nozzle
- 1 x Round brush
- 1 x Small squeegee
- 1 x Grout brush

PRESSURE WASHERS

BEPW1600 - 1600 PSI 110 BAR PRESSURE WASHER



Specifications

Motor Type	Universal
Max Pressure	110 bar
Max Flow Rate	396 l/h
Power Consumption	1600 W
Pump Material	Aluminum

Usage

Cleaning of vehicles, machines, boats, masonry

BEPW1750 - 1740 PSI 120 BAR PRESSURE WASHER



Specifications

Motor Type	Universal
Max Pressure	120 bar
Max Flow Rate	408 l/h
Power Consumption	1500 W
Pump Material	Aluminum

Usage

Washes your car clean, Cleans the tiles in the garden paths and driveways, removes dirt that sticks to garage shutters, Suitable for washing your home windows and Floorings.

BEPW2200 - 2175 PSI 150 BAR PRESSURE WASHER



Specifications

Motor Type	Universal
Max Pressure	150 bar
Max Flow Rate	450 l/h
Power Consumption	2000W
Pump Material	Aluminum

Usage

Cleaning of vehicles, machines, boats, masonry

PRESSURE WASHERS

BEPWB1740 - 120 BAR PRESSURE WASHER



Specifications

Motor Type	Brushless Induction
Power Rating	1500W
Max Pressure	120 Bar
Max Pressure	1740 PSI
Max Flow Rate	5.3 l/min
Pump Material	Aluminum
Self-Priming	Yes
Nozzles	Fan to Pencil, Turbo
Soap Bottle	Yes
Hose Length	6m

BEPWB2400 - 165 BAR PRESSURE WASHER



Specifications

Motor Type	Brushless Induction
Power Rating	2100W
Max Pressure	165 Bar
Max Pressure	2393 PSI
Max Flow Rate	6.7 lt/min
Pump Material	Aluminium
Self-Priming	Yes
Nozzles	Fan to Pencil, Turbo
Soap Bottle	Yes
Hose Length	8m



OUTDOOR PRODUCTS



CHAINSAW

BECs2245 - 18" CHAINSAW



Specifications

Voltage	220-240V
Bar length	45cm
Max bar length	511mm
Saw chain speed (No Load)	14.5m/s
Max cutting length	407mm
Oil capacity	170ml
Weight (without saw chain, guide bar, oil)	4.3kg

Features

- Serious Cutting Power**
A suitable tool for fast completion of large cutting tasks
- Auto Oiling Mechanism**
Integrated auto oil system lubricates the chain, for reduced wear and greater cutting efficiency
- Tool-Free Chain Tensioning**
Quick and easy chain fitting and adjustment for best cutting performance



LAWN MOWERS

BEMW471BH - ROTARY LAWN MOWER 38CM



Specifications

Voltage	240V
Power	1600W
Type	Rotary
Dimensions	77.2 x 43 x 42.3cm
Weight	14.7kg

BEMWH551 - HOVER MOWER



Specifications

Power	1200W
Weight	2Kg

Features

- 1200W motor Quiet and efficient enough power to get the job done.
- Compact 30cm deck Ideal for smaller gardens easy to use and maneuver.
- Lightweight construction Use on all terrains Ideal for hills, uneven surfaces.
- Two stage start Safety feature avoid accidental start up.
- Folding, Steel handle robust and durable allows for regular folding and hanging.
- Plastic cutting blades Interchangeable removes need for sharpening.



LAWN MOWERS

BEMW451BH - ROTARY LAWN MOWER 32CM



Specifications

Voltage	240V
Power	1200W
Type	Rotary
Dimension	63.7x35.6x4.5cm
Weight	9.35kg

BEMW461BH - ROTARY LAWN MOWER 34 CM



Specifications

Voltage	240V
Power	1400W
Type	Rotary
Dimension	75.2x38.2x41.4cm
Weight	13.5kg



LAWN & GARDEN

BL2018 - 2.0AH 18V BATTERY LI-ION BATTERY



Specifications

Voltage	18V
Battery	2.0Ah
Battery Type	Lithium Ion

Features

- Suitable for use with all Black & Decker
- 18V Li-Ion Power & Garden tools

GL9035 - CORDED ELECTRIC STRIMMER GRASS TRIMMER



Specifications

Power Source	Electric
Cutting width	35 Centimeters
Speed	7000 rpm

Features

- Featuring a wheel edge guide which is ideal for edging lawns for a neat finish, and it also prevents you from damaging your plants.
- With a cutting width of 35 cm and a 900 W power rating the strimmer is exceptionally effective to make light work of gardening tasks.
- The strimmer has an adjustable second handle which allows you to grip it securely with two hands making it more comfortable to use.



BLOWERS

GWC1820PCF - 18V POWER COMMAND BOOST BLOWER



Specifications

Voltage	18V
Battery Capacity	2.0Ah
Blade Length	50cm
Weight	1.6kg
Includes 1 battery and 1 charger	

Features

- POWERCOMMAND: boosts more miles per hour at the push of a button for clearing stubborn leaves / debris.
- Simple to assemble & removable blower chute can be stored in 2 parts.
- POWERCOMMAND delivers higher speed at 209 Km/h, normal mode operates at 80% (169 Km/h)
- Soft Grip for Greater Comfort & Control. 98 Cubic feet per minute

BEBLV300-GB - 3000W 3-IN-1,72L COMPACT BLOWER VACUUM WITH BACKPACK


NEW



Specifications

Power input	3000W
Capacity	72L (Backpack collection bag)
2 Speed Setting	
Movement & attachment	Pivot Handle / Strap + Rake
Roll+Click	Easy Release locking system to unclip bag
Includes	Blower, Leaf Blower Tube, Garden Vacuum Tube, Backpack Collection Bag, Installation Tool





Notes

Notes

Notes

Notes



STANLEY BLACK & DECKER INDIA PRIVATE LIMITED

Customer Support:

✉ sbd-customercommunications@sbdinc.com ☎ +91 9606055835 ☎ 1800 203 0644

28 Akemps, 3rd Main, 1st Cross,
Ashwini Layout, Koramangala,
Intermediate Ring Road, Bangalore - 560047



SCAN TO FOLLOW US



CAT-CPG0002